

Message

---

**From:** Davis, Katherine L [katherine.l.davis@aecom.com]  
**Sent:** 10/17/2018 11:47:58 AM  
**To:** Wilson, Jennifer [wilson.jenniferA@epa.gov]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]; Konfirst, Matthew [konfirst.matthew@epa.gov]  
**CC:** 'Andrew.S.Hartten@chemours.com' [Andrew.S.Hartten@chemours.com]  
**Subject:** RE: Updated Master Spreadsheet and Map 091718

Good morning Jenny and Roger,

Just to keep us all in the same loop regarding [Ex. 6 Personal Privacy (PP)]

I spoke more with Ali yesterday after she heard back from [Ex. 6 Personal Privacy (PP)]. At this point he would like us to include language in the permanent bottled water agreement that covers many different possible outcome in the future (he drills a new well, he makes modification to his spring system and the health department will grant a permit, etc). Because there several possible outcomes and I am not sure he will be satisfied with any edits we make, and he told Ali he has several nearby neighbors who think he should not sign anything, my suggestion is that we remove him from the master spreadsheet we keep updating and add him to Table 13 in the quarterly progress reports where we keep track folks receiving bottled water. We will note that he is receiving temporary bottled water while continuing to evaluate his drinking water options and that we will check in with him on a quarterly basis to see if his situation has changed and if there is anything Chemours then needs to do based on whatever change takes place, whenever it does.

Please let me know if this is acceptable. Thanks.

Kathy

**Katherine L. Davis, PhD**  
North America PFAS Lead  
Principal Geologist, Philly Metro Area  
D 1-302-781-5890

[Ex. 6 Personal Privacy (PP)]

[Katherine.L.Davis@aecom.com](mailto:Katherine.L.Davis@aecom.com)

---

**From:** Davis, Katherine L  
**Sent:** Monday, October 15, 2018 8:17 AM  
**To:** 'Wilson, Jennifer'; Reinhart, Roger; Rowsey, Kevin; Konfirst, Matthew  
**Cc:** 'Andrew.S.Hartten@chemours.com'  
**Subject:** RE: Updated Master Spreadsheet and Map 091718

Thanks for following up Jenny.

We will definitely keep delivering bottled water to [Ex. 6 Personal Privacy (PP)]. However, I will point out that if he installs a well, we will need to sample it to see if the well is qualified for treatment. Would you like to clarify this with him or would you like Ali to follow up?

Kathy

**Katherine L. Davis, PhD**  
North America PFAS Lead  
Principal Geologist, Philly Metro Area  
D 1-302-781-5890

[Ex. 6 Personal Privacy (PP)]

[Katherine.L.Davis@aecom.com](mailto:Katherine.L.Davis@aecom.com)

---

**From:** Wilson, Jennifer [mailto:wilson.jenniferA@epa.gov]  
**Sent:** Friday, October 12, 2018 6:12 PM  
**To:** Davis, Katherine L; Reinhart, Roger; Rowsey, Kevin; Konfirst, Matthew  
**Cc:** 'Andrew.S.Hartten@chemours.com'  
**Subject:** RE: Updated Master Spreadsheet and Map 091718

Hi Kathy,

Ex. 6 Personal Privacy (PP)

**Ex. 6 Personal Privacy (PP)**

**Ex. 6 Personal Privacy (PP)**

I left a message with Ex. 6 Personal Privacy (PP) will give her a call again next week if I don't hear from her.

Thank you and have a good weekend,  
Jenny

---

**From:** Davis, Katherine L [mailto:katherine.l.davis@aecom.com]  
**Sent:** Tuesday, September 18, 2018 2:08 PM  
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>; Konfirst, Matthew <konfirst.matthew@epa.gov>  
**Cc:** 'Andrew.S.Hartten@chemours.com' <Andrew.S.Hartten@chemours.com>  
**Subject:** RE: Updated Master Spreadsheet and Map 091718

Jenny – here is the contact info for the folks that have not yet signed the permanent bottled water agreements. Any help you can give to get them to sign would be great. Thanks. - Kathy

**Ex. 6 Personal Privacy (PP)**

Katherine L. Davis, PhD  
North America PFAS Lead  
Principal Geologist, Philly Metro Area  
D 1-302-781-5890

Ex. 6 Personal Privacy (PP)  
Katherine.L.Davis@aecom.com

---

**From:** Davis, Katherine L  
**Sent:** Tuesday, September 18, 2018 9:38 AM  
**To:** 'wilson.jenniferA@epa.gov'; 'Reinhart.Roger@epa.gov'; 'Rowsey, Kevin'; 'konfirst.matthew@epa.gov'  
**Cc:** 'Andrew.S.Hartten@chemours.com'  
**Subject:** RE: Updated Master Spreadsheet and Map 091718

Good Morning Everyone,

Here are the notes for the updated master spreadsheet dated 9/17/18:

F&N Tab:  
Rows 2-5 = 4 new sampled collected, no results yet

1 = follow up by AECOM based on the data pull for Jenny (previous well use everything BUT drinking, rechecked and is now used for drinking so was sampled)

2 = referrals from neighbor

1 = referral from Meigs Health Department

NGA FAs A Tab:

Rows 3-4 = 3 additional quarters of sampling to be completed

Rows 5-8 = GAC installs in progress

Row 9 = GAC install completed

Rows 10-16 = results not qualified for treatment

NGA FAs B:

Rows 3-5 = PWS connections in progress

Row 6 = almost non-response to treatment offer of PWS connection; Roger to follow up?

Rows 7-10 = Sampling offer letters mailed, no response to date

Rows 11-12 = results not qualified for treatment

NGA FAs D:

Row 3 = still trying to set up sampling

Row 4 = Residents wants PWS, but not likely offered based on distance from mains, evaluating costs, waiting for info from Tri County Water (slow to respond)

Rows 5-6 = permanent bottled water offered, have temp. bottled water; Ali says they are reluctant to sign; how many offers need to be made?

Other Tab:

Pow 3 = Resident wants PWS, but not likely offered based on distance from mains, evaluating costs

Thanks.

Kathy

**Katherine L. Davis, PhD**

North America PFAS Lead

Principal Geologist, Philly Metro Area

D 1-302-781-5890

Ex. 6 Personal Privacy (PP)

[Katherine.L.Davis@aecom.com](mailto:Katherine.L.Davis@aecom.com)

---

**From:** Davis, Katherine L

**Sent:** Monday, September 17, 2018 11:48 AM

**To:** 'wilson.jennifera@epa.gov'; 'Reinhart.Roger@epa.gov'; 'Rowsey, Kevin'; 'konfirst.matthew@epa.gov'

**Cc:** 'Andrew.S.Hartten@chemours.com'

**Subject:** Updated Master Spreadsheet and Map 091718

Good Morning,

Attached are the updated master spreadsheet and the updated map that we will be discussing tomorrow at the Washington Works Update Meeting. Thank you!

Kathy

**Katherine L. Davis, PhD**

North America PFAS Lead

Principal Geologist, Philly Metro Area

D 1-302-781-5890

Ex. 6 Personal Privacy (PP)

[Katherine.L.Davis@aecom.com](mailto:Katherine.L.Davis@aecom.com)

**AECOM**

4051 Ogletown Road, Sabre Building Suite 300, Newark, Delaware 19713

T 1-302-781-5900 F 1-302-781-5901

